DEPARTMENT OF AGRICULTURE, LAND REFORM AND RURAL DEVELOPMENT

NO. R. 6666 26 September 2025

PLANT HEALTH (PHYTOSANITARY) ACT, 2024 (ACT NO.35 OF 2024)

INVITATION FOR PUBLIC COMMENTS DRAFT IMPORTATION OF REGULATED ARTICLES WITHOUT A PERMIT

I, John Steenhuisen, Minister of Agriculture, acting under section 30, read with sections 13 (2) of the Plant Health (Phytosanitary) Act, 2024 (Act No.35 of 2024) hereby invite all interested institutions, organisations and individuals to submit written comments and inputs on the proposed import regulations without a permit.

Comments musts be submitted within 30 days from the date of publication of this notice to:

Dr Maanda Rambauli Department of Agriculture Directorate Plant Health Private X14, Gezina 0031

Physical address: Department of Agriculture

30 Hamilton Street, Harvest House, Arcadia Pretoria

Email: MaandaR@nda.gov.za or DesireeB@nda.gov.za

Contact details: 012 319 6164/ 6189

078 827 4608/ 072 461 458

MR J STEENHUISEN, MP

MINISTER OF AGRICULTURE

DATE: 02-05-15'

Definitions

 Any word or expression in this Schedule to which a meaning has been assigned in the Act shall have that meaning and, unless the context indicated otherwise-

"area of production" means any plot or group of plots that are cultivated as a unit, and on or in which regulated articles are produced;

"certificate" means -

- (a) the original specimen of a phytosanitary certificate or phytosanitary certificate of re-export, that
 - (i) is in the form of the FAO Model Certificate appended to the International Plant Protection Convention, New Revised Text (1997) and
 - (ii) has been issued by a recognised empowered authority in the country of production or the country or re-export of the regulated article to which such certificate relates;
- (b) the original specimen of a plant health certificate that has been issued by a recognised empowered authority in the country of production or the country of re-export of the regulated article to which such certificate relates;

"country of production" means the country in which regulated articles were produced or, in the case of Australia, the United States of America or any other country with autonomous phytosanitary services in the different states, thereof, the state in which regulated articles were produced; and

"insects and pathogens" means insects and pathogens of the kinds indicated in numerical sequence in Annexure A.

Exemption from permit requirements

The classes of regulated articles specified in column 1 of Table 1 may be imported into the Republic without a permit referred to in section 13(2) of the Act.

Conditions of exemption

- 3. (1) The exemption granted in clause 2 shall be subject to the following conditions:
 - (a) The applicable requirements specified in column 2 of Table 1 opposite a particular class of regulated article shall be complied with in respect of each consignment of that class of regulated article.
 - (b) The regulated article concerned may only be imported through a point of entry specified in Table 2.
 - (c) Each consignment of regulated articles shall be presented to the executive officer at the port of entry thereof for such inspection as he may deem necessary.
 - (d) The certificate that accompanies a consignment of regulated article shall be retained by the executive officer.
 - (e) No consignment of regulated articles may be removed from the port of entry thereof before the executive officer has consented thereto in writing.

TABLE 1

REGULATED ARTICLES EXEMPTED FROM PERMITS, AND REQUIREMENTS OF EXEMPTION

Class of regulated article	Requirements
Column 1	Column 2
1. Seed of species of the following genera and families	
intended for planting:	
A delication	No phytosanitary certificate required
Actaea, Actinotus, Adenophora, Adenostyles, Aethionema,	No phytosamiany cermicate required
Agrostemma, Alcea, Alliaria, Alseuosmia, Althaea,	
Alyssoides, Ammi, Ammobium, Anacyclus, Anaphalis,	
Antennaria, Apios, Arctium, Argyroderma, Asarina,	
Asclepias, Astragalus, Asyneuma, Aubrieta, Aurinia,	
Axonopus, Balsamita, Baptisia, Basilicum, Bergenia,	
Berlandiera, Beschomeria, Boltonia, Borago, Brachystelma,	
Browallia, Buphthalmum, Byblis, Calamintha, Calocephalus,	
Caltha, Canavalia, Carlina, Carpanthea, Cassine,	
Catananche, Cephalaria, Cerastium, Cerinthe, Cheiranthus,	
Chrysopsis, Cineraria, Cladanthus, Clarkia, Clinopodium,	
Codonopsis, Collinsia, Commiphora, Coriandrum, Crambe,	
Стеріs, Cryptotaenia, Cuminum, Cynoglossum, Dichondra,	
Didelta, Duvalia, Echium, Eruca, Eschscholzia, Fumaria,	
Galega, Galium, Geum, Gilia, Glaucium, Globularia,	
Grindelia, Gypsophila, Heliophila, Hesperis, Hieracium,	
Hydrocotyle, Inula, Isatis, Jasione, Jurinea, Lachnostachys,	
Lasthenia, Layia, Lepidium, Lespedeza, Liatris, Limnanthes,	
Linanthus, Lisianthus, Lomatium, Lonas, Lunaria,	
Lycopodiella, Lycopus, Lysichiton, Macarthuria, Malcolmia,	
Meconopsis, Medusagyne, Melampodium, Mertensia, Mina,	
Morina, Mundulea, Myosotidium, Myrrhis, Newtonia,	

Nolana, Ornithopus, Oxypetalum, Parnassia, Parthenium, Peltiphyllum, Perilla, Petalostemon, Peucedanum, Phacelia, Pratia. Pseudolachnostylis, Pinguicula, Pimpinella, Psilotum, Psoralea, Pulicaria, Reseda, Reyesia, Rhoeo, Salpiglossis, Schizanthus, Romneya, Rubia, Sagina, Shasta, Stizolobium, Streptocarpus, Symphytum, Tacca, Tetragonia, Teucrium, Thermopsis, Thymophylla, Tiarella, Ursinia, Trigonella, Tritonia, Tibouchina, Tragopogon, Utricularia, Valerianella, Viscaria, Voandzeia, Wasabia, Xanthisma, Xeranthemum and Zinnia.

Akebia, Aetoxicon, Abrus, Acokanthera, Acrocarpus, Antidesma, Anthocleista, Amorpha, Alloteropsis, Azanza, Atalaya, Arctostaphylos, Ardisia, Asimina, Bossiaea, Brachylaena, Biserrula, Balanites, Brachystemma, Bridelia, Briza, Buckinghamia, Bupleurum, Canthium, Cajanus, Calamus, Calliandra, Burchellia, Caryocar, Cephalotaxus, Chionathus, Chloris, Chorizema, Chrysophyllum, Cladrastis, Clianthus, Clitoria, Cobaea, Cotoneaster, Coriaria, Coronilla, Corema, Colutea, Cupaniopsis, Cycadales, Darwinia, Dialium, Didymaotus, Dysoxylum, Dombeya, Dillenia, Dipterocarpus, Eleutherococcus, Enterolobium, Eriobotrya, Eriophyllum, Erythrina, Euclea, Eucommia, Faucaria, Flacourtia, Gahnia, Goodenia, Gmelina, Gliricidia, Galphimia, Gossweilerodendron, Gouania, Griselinia, Gymnosporia, Haloxylon, Harungana, Hebenstretia, Hedysarum, Helinus, Heliocarpus, Hemigenia, Hippophae, Hovea, Hovenia, Kennedia, Indigofera, Hymenachne, Hymenantherum, Kiggelaria, Kirengeshoma, Kirkia, Kissenia, Koelreuteria, Landolphia, Langsdorffia, Lannea, Laportea, Lesquerella,

Phytosanitory certificate is required but no additional declaration is required.

Lophotocarpus, Lophiocarpus Leucopogon, Lindera, Luehea, Macfadyena, Macropiper, Macroptilium, Maesa, Markhamia, Marrubium, Melianthus, Memecylon, Mentzelia, Meum, Miconia, Mucuna, Myristica, Nuxia, Nuytsia, Nyssa, Oncoba, Ongokea, Ostrya, Osyris, Parinari, Pavetta, Peganum, Peltophorum, Petrophila, Phalaris, Phleum, Pseudolarix, Pithecellobium, Prieurella, Phyllociadus, Psiloxylon, Psophocarpus, Pteradiscus, Puccinellia, Puelia, Pultenaea, Rehmannia, Rhodochiton, Rhodosphaera, Rothmannia, Samanea, Sandoricum, Santalum, Saraca, Sarcococca, Schinus, Schizoloblum, Schotia, Securidaca, Sesamum, Shepherdia, Sicana, Sinapsis, Sollya, Sophora, Spiraea, Spyridium, Stenocarpus, Sparmannia, Synsepalum, Swainsona, Stylosanthes, Styphelia, Tabebuia, Tabernaemontana, Tamarindus, Templetonia, Tephrosia, Tetraclinis, Tetrataxis, Thespesia, Turraea, Umbellularia, Valeriana, Vangueria, Vitex and Warburgia.

2. Unrooted vegetative propagating material (excluding bulbs, tubers and rhizomes) of species of the following genera and families:

Acokanthera, Ardisia, Asterosperma, Beaucarnea,
Callistemon, Peltiphyllum, Psilotum, Scindapsus, Tabebuia
and Typhonium.

The applicable certificate shall contain a confirmation that the consignment concerned was treated with a broad spectrum fungicide, insecticide or fumigant.

Aristolochia.....

consignment is free from Cucumber mosaic virusas it appears from inspections (i) during the active growth of the mother plants concerned, did not occur on those mother plants; or area of production concerned. The applicable certificate shall contain Cycadales..... an additional declaration that-Phymatotrichum omnivorum and (l) Synchtrium endobioticum do not occur in the area of production concerned. the consignment concerned is (ii) Aceria tulipae, free from besseyi, Aphelenchoides fragariae, Aphelenchoides Aphelenchoides ritzema-bosi, Ditylenchus destructor and Ditylenchus dipsaci. (iii) the consignment concerned is free of growth media and soil. The applicable certificate shall contain Euonymus..... an additional declaration that the consignment is free from Euonymus variegation virus and Oidium euonymijaponicias it appears from inspections (i) during the active growth of the mother plants concerned, did not occur on

	those mother plants; or in the area of
	production concerned.
	•
Fremotia	The applicable certificate shall contain-
	(i) an additional declaration that
	consignment is free from Verticillium
	albo-atrum as it appears from
	inspections during the active growth of
	the mother plants concerned, did not
	occur on those mother plants; or in the
	area of production concerned.
	(ii) a confirmation that the consignment
	concerned was treated with a
	broadspectrum fungicide, insecticide or
	fumigant.
Geraniaceae	The applicable certificate shall contain
Goramacouch	an additional declaration that the
	consignment is free from from Beet
	curly top virus, Pelargonium leaf curl
	virus, Tomato black ring virus and
	Verticillium albo-atrum-
	(i) as it appears from inspections
	during the active growth of the mother
	plants concerned, did not occur on
	those mother plants; or in the area of
	production concerned.
Oenothera	The applicable certificate shall contain-
Concentration	(i) an additional declaration that
	consignment is free from

Phymatotrichum omnivorum and Verticillium albo-atrum as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned.

(ii) a confirmation that the consignment concerned was treated with a broadspectrum fungicide, insecticide or fumigant.

3. Bulbs, tubers and rhizomes of species of the following genera and families:

Agapanthus.....

- (i) consignment is free from Verticillium albo-atrum as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned
- (ii) Phymatotrichum omnivorum and Synchytrium endobioticum do not occur in the area of production concerned,
- (iii) the consignment concerned is free from Aceria tulipae,Aphelenchoides besseyi,Aphelenchoides fragariae,

ritzema-bosi.

Aphelenchoides Ditylenchus destructor and Ditylenchus dipsaci), the consignment concerned is (iv) free of growth media and soil. The applicable certificate shall contain Alstroemeria, Amaryllidaceae (excluding species of genera an additional declaration thatindicated elsewhere) and Incarvillea...... Phymatotrichum omnivorum and (i) Synchtrium endobioticum do not occur in the area of production concerned. the consignment concerned is (ii) tulipae, free from Aceria besseyi, **Aphelenchoides** fragariae, Aphelenchoides ritzema-bosi, Aphelenchoides Ditylenchus destructor and Ditylenchus dipsaci, the consignment concerned is (iii) free of growth media and soil. The applicable certificate shall contain Eryngium..... an additional declaration that-(i) consignment is free from Rosselinia it appears from bunodes as inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned. Phymatotrichum omnivorum and (ii) Synchtrium endobioticum do not occur

in the area of production concerned.

- (iii) the consignment concerned is free from Aceria peucedamum, Aceria tulipae, Aphelenchoides fragariae Aphelenchoides besseyi, Aphelenchoides ritzema-bosi, Ditylenchus destructor and Ditylenchus dipsaci,
- (iv) the consignment concerned is free of growth media and soil.

Iridaceae (excluding species of genera indicated elsewhere).....

- (i) consignment is free from *Drechslera* iridis, *Sclerotinia bulborum*, *Sclerotium* tuliparum and Tobacco rattle virus as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned.
- (ii) Phymatotrichum omnivorume and Synchtrium endobioticum do not occur in the area of production concerned,
- (iii) the consignment concerned is free from Aceria tulipae, Aphelenchoides besseyi, Aphelenchoides fragariae, Aphelenchoides ritzema-bosi, Ditylenchus destructor and Ditylenchus

dipsaci,

(iv) the consignment concerned is free of growth media and soil.
The applicable certificate shall contain an additional declaration that- (i) consignment is free from Lily mosaic virus and Lily rosette virus as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned. (ii) Phymatotrichum omnivorum and Synchtrium endobioticum do not occur in the area of production concerned, (iii) the consignment concerned is free from Aceria tulipae, Aphelenchoides besseyi, Aphelenchoides fragariae,
Aphelenchoides ritzema-bosi, Ditylenchus destructor and Ditylenchus
dipsaci,
(iv) the consignment concerned is free of growth media and soil.
The applicable certificate shall contain an additional declaration that- (i) consignment is free from Abaca mosaic virus and <i>Rosselinia bunodes</i> as it appears from inspections during

Phylax.....

the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned.

- (ii) Phymatotrichum omnivorum and Synchtrium endobioticum do not occur in the area of production concerned,
- (iii) the consignment concerned is free from Aceria tulipae,
 Aphelenchoides besseyi,
 Aphelenchoides fragariae,
 Aphelenchoides ritzema-bosi,
 Ditylenchus destructor and Ditylenchus dipsaci,
- (iv) the consignment concerned is free of growth media and soil.

- (i) Phomopsis vexans and Synchytrium endobioticum do not occur in the area of production concerned,
- (ii) the consignment concerned is free from Aceria tulipae, Aphelenchoides besseyi, Aphelenchoides fragariae Aphelenchoides ritzema-bosi, Ditylenchus destructor and Ditylenchus dips,
- (iii) the consignment concerned is

 Rooted greenhouse plants [not older than 10 weeks and/or height not exceeding 200mm] of species of the following genera and families.

Ardisia. Aphelandra, Ajuga, Alocasia, Anthurium, Beaucamea, Bouvardia, Callistemon, Cananga, Capparis, Ceanothus, Chamaelaucium, Coleus, Coprosma, Diascia, Dipladenia, Echeveria, Eustoma, Gardenia, Grevillea, Gypsophila, Hebe, Hosta, Hoya, Lavandula, Lisianthus, Menianthus, Nepenthes, Lycopodium, Lysimachia, Origanum, Osmanthus, Peltiphyllum, Pittosporum, Preslia, Psilotum, Rheoe, Ruscus, Salvia, Sansevieria, Schefflera, Spathyphyllum, Stachys, Thymus, Tradescantia Verbascum.....

free of growth media and soil.

The applicable certificate shall contain an additional declaration that-

- the consignment concerned is (i) free from Aphelenchoides besseyi, fragariae, **Aphelenchoides** ritzema-bosi, Aphelenchoides Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi), sexmaculatus, Eotetranychus Frankliniella occidentalis, Liriomyza spp., Phymatotrichum omnivorum, endobioticum. Synchytrium Tetranychus candensis, Tetranychus pacificus, mcdanielli, Tetranychus schoenei and Tetranychus Tetranychus viennensis,
- (ii) the plants comprising the consignment concerned were rooted, grown and packed grown in or on a sterilised medium.

Anigozanthos.....

The applicable certificate shall contain an additional declaration that-

(i) the consignment concerned is free from Aphelencholdes besseyi,

Aphelenchoides

No. 53424 **59**

fragariae,

Aphelenchoides ritzema-bosi, Ditylenchus Eotetranychus dipsaci, Eotetranychus pomi), pruni (E. Frankliniella sexmaculatus, occidentalis, Liriomyza spp., omnivorum, Phymatotrichum endobioticum, Synchytrium Tetranychus candensis, Tetranychus Tetranychus pacificus, mcdanielli, Tetranychus schoenei and Tetranychus viennensis, comprising the plants consignment concerned were rooted, grown and packed grown in or on a sterilised medium. The applicable certificate shall contain an additional declaration thatthe consignment is free from Polyporus sanguineus as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned, the consignment concerned is free from Aphelenchoides besseyi, fragariae, Aphelenchoides Aphelenchoides ritzema-bosi, Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi),

Eotetranychus sexmaculatus, Frankliniella occidentalis, Liriomyza spp., Phymatotrichum omnivorum, Synchytrium endobioticum, Tetranychus candensis, Tetranychus Tetranychus pacificus, mcdanielli, schoenei and Tetranychus Tetranychus viennensis,

(iii) the plants comprising the consignment concerned were rooted, grown and packed in or on a sterilised medium.

Alstroemeria, Amaryllidaceae, Cycadales, Euphorbia and Oxalis.....

- the consignment concerned is (i) Aceria tulipae, free from besseyi, Aphelenchoides Aphelenchoides fragariae, ritzema-bosi, Aphelenchoides Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi), sexmaculatus, Eotetranychus Frankliniella occidentalis, Liriomyza spp., Phymatotrichum omnivorum, endobioticum, Synchytrium Tetranychus candensis, Tetranychus mcdanielli, Tetranychus pacificus, schoenei and Tetranychus Tetranychus viennensis,
- (ii) the plants comprising the

and

schoenei

(ii) the plants comprising the consignment concerned were rooted, grown and packed in or on a sterilised

consignment concerned were rooted,

	grown and packed in or on a sterilised medium.
Artocarpus	The applicable certificate shall contain an additional declaration that- (i) the consignment is free from Keloroga noxia and Phytophthora palmivora as it appears from
	inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned,
	(ii) the consignment concerned is free from Aphelenchoides besseyi, Aphelenchoides fragariae, Aphelenchoides ritzema-bosi,
	Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi), Eotetranychus sexmaculatus, Frankliniella occidentalis, Liriomyza
	spp., Phymatotrichum omnivorum, Synchytrium endobioticum, Tetranychus candensis, Tetranychus
	mcdanielli, Tetranychus pacificus,

Tetranychus

medium.

Tetranychus viennensis,

62	NI_	53424

Azalea	The applicable certificate shall contain
	an additional declaration that-

- (i) the consignment is free from Chrysomyxa rhododendri, Ovulina azalea and Septoria azaleae as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned,
- the consignment concerned is free from Aphelenchoides besseyi, fragariae, Aphelenchoides ritzema-bosi, Aphelenchoides Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi), sexmaculatus, Eotetranychus Frankliniella occidentalis, Liriomyza spp., Phymatotrichum omnivorum, endobioticum, Synchytrium Tetranychus candensis, Tetranychus mcdanielli, Tetranychus pacificus, schoenei and Tetranychus Tetranychus viennensis,
- (iii) the plants comprising the consignment concerned were rooted, grown and packed in or on a sterilised medium.

Bougainvillea...... The applicable certificate shall contain

an additional declaration that-

- (i) the consignment is free from Phytophthora palmivora as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned,
- the consignment concerned is free from Aphelenchoides besseyi, Aphelenchoides fragariae, ritzema-bosi, Aphelenchoides Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi), sexmaculatus, **Eotetranychus** Frankliniella occidentalis, Liriomyza spp., Phymatotrichum omnivorum, endobioticum, Synchytrium Tetranychus candensis, Tetranychus mcdanielli, Tetranychus pacificus, schoenei and Tetranychus Tetranychus viennensis,
- (iii) the plants comprising the consignment concerned were rooted, grown and packed in or on a sterilised medium.

Buddleia and Campanula.....

The applicable certificate shall contain an additional declaration that-

(i) the consignment is free from Beet curly top virus, Cucumber mosaic virus, *Puccinia* spp. and *Verticillium*

albo-atrum as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned

the consignment concerned is (ii) free from Aphelenchoides besseyi, Aphelenchoides fragariae, Aphelenchoides ritzema-bosi, Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi), sexmaculatus, **Eotetranychus** Frankliniella occidentalis, Liriomyza Phymatotrichum omnivorum, spp., endobioticum, Synchytrium Tetranychus candensis, Tetranychus pacificus, mcdanielli, Tetranychus schoenei and Tetranychus Tetranychus viennensis,

(iii) the plants comprising the consignment concerned were rooted, grown and packed in or on a sterilised medium

Clematis, Lonicera and Polyscias

The applicable certificate shall contain an additional declaration that-

(i) the consignment is free from Verticillium albo-atrum as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants;

or in the area of production concerned, the consignment concerned is free from Aphelenchoides besseyi, fragariae, **Aphelenchoides** Aphelenchoides ritzema-bosi, Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi), sexmaculatus, Eotetranychus Frankliniella occidentalis, Liriomyza spp., Phymatotrichum omnivorum, endobioticum, Synchytrium Tetranychus candensis, Tetranychus mcdanielli, Tetranychus pacificus, schoenei and Tetranychus Tetranychus viennensis, comprising the plants the consignment concerned were rooted, grown and packed in or on a sterilised medium.

Cordyline.....

- (i) the consignment is free from Aspergillus niger f. floridanus and Phyllosticta dracaenae as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned
- (ii) the consignment concerned is free from *Aphelenchoides besseyi*,

fragariae, **Aphelenchoides** ritzema-bosi, Aphelenchoides Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi), sexmaculatus, Eotetranychus Frankliniella occidentalis, Liriomyza omnivorum, Phymatotrichum spp., endobioticum, Synchytrium Tetranychus candensis, Tetranychus pacificus, mcdanielli, Tetranychus schoenei and Tetranychus Tetranychus viennensis, comprising the plants (iii) the consignment concerned were rooted, grown and packed in or on a sterilised medium. The applicable certificate shall contain an additional declaration thatthe consignment is free from Ramularia cyclaminicola as it appears

Cyclamen......

- from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned
- the consignment concerned is (ii) from Aceria tulipae, free Aphelenchoides besseyi, fragariae, Aphelenchoides **Aphelenchoides** ritzema-bosi, Ditylenchus destructor, Ditylenchus

besseyi,

fragariae,

ritzema-bosi,

sexmaculatus,

dipsaci, Eotetranychus pruni (E. pomi), Eotetranychus sexmaculatus, Frankliniella occidentalis, Liriomyza omnivorum, Phymatotrichum spp., endobioticum, Synchytrium Tetranychus candensis, Tetranychus pacificus, Tetranychus mcdanielli, and Tetranychus schoeneiw Tetranychus viennensis, plants comprising (iii) the consignment concerned were rooted, grown and packed in or on a sterilised medium. The applicable certificate shall contain an additional declaration that-(l) the consignment is free from Verticillium albo-atrum and Wilt diseases caused by fungi as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned. the consignment concerned is (ii) tulipae, from Aceria free

Aphelenchoides Aphelenchoides

Aphelenchoides

Eotetranychus

Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi),

Dahiia.....

Frankliniella occidentalis, Liriomyza spp., Phymatotrichum omnivorum, Synchytrium endobioticum, Tetranychus candensis, Tetranychus mcdanielli, Tetranychus pacificus, Tetranychus schoenei and Tetranychus viennensis,

(iii) the plants comprising the consignment concerned were rooted, grown and packed in or on a sterilised medium.

Delphinium.....

- (i) the consignment is free from Aster yellows mycoplasma, Beet curly top virus and Tobacco ringspot virus as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned,
- (ii) the consignment concerned is free from Aphelenchoides besseyi, Aphelenchoides fragariae, Aphelenchoides ritzema-bosi, Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi), Eotetranychus sexmaculatus, Frankliniella occidentalis, Liriomyza spp., Phymatotrichum omnivorum,

Synchytrium endobioticum,
Tetranychus candensis, Tetranychus
mcdanielli, Tetranychus pacificus,
Tetranychus schoenei and
Tetranychus viennensis,

(iii) the plants comprising the consignment concerned were rooted, grown and packed in or on a sterilised medium.

Dendranthema.....

- (i) the consignment is free from Aster yellows mycoplasma, Chrysanthrmum stunt viroid, Didymella chrysanthemi, Erwinia chrysanthemi, Puccinia horiana and Tomato aspermy virus as appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned,
- (ii) the consignment concerned is free from Aphelenchoides besseyi, Aphelenchoides fragariae, Aphelenchoides ritzema-bosi, Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi), Eotetranychus sexmaculatus, Frankliniella occidentalis, Liriomyza spp., Phymatotrichum omnivorum,

endobioticum, Synchytrium Tetranychus candensis, Tetranychus pacificus, Tetranychus mcdanielli, schoenei and Tetranychus Tetranychus viennensis, plants comprising the (iii) consignment concerned were rooted, grown and packed in or on a sterilised medium. The applicable certificate shall contain an additional declaration thatthe consignment is free from (i) Beet curly top virus, Cacoecimorpha pronubana, Carnation etched ring virus. Carnation necrotic fleck virus, Cartination streak virus, Erwinia dianthi, f chrysanthemi sp. leaf curl virus, Pelargonium Pseudomonas caryophylli and Ustilago violacea as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned

the consignment concerned is

fragariae,

ritzema-bosi,

free from Aphelenchoides besseyi,

Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi),

Aphelenchoides Aphelenchoides

sexmaculatus, **Eotetranychus** Frankliniella occidentalis, Liriomyza spp., Phymatotrichum omnivorum, endobioticum. Synchytrium Tetranychus candensis, Tetranychus mcdanielli, Tetranychus pacificus, and schoenei Tetranychus Tetranychus viennensis,

(iii) the plants comprising the consignment concerned were rooted, grown and packed in or on a sterilised medium.

Dracaena.....

- (i) the consignment is free from Aspergillus niger f. floridanus and Phyllosticta dracaenae as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned,
- (ii) the consignment concerned is free from Aphelenchoides besseyi, Aphelenchoides fragariae, Aphelenchoides ritzema-bosi, Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi), Eotetranychus sexmaculatus, Frankliniella occidentalis, Liriomyza spp., Phymatotrichum omnivorum,

Synchytrium endobioticum, Tetranychus candensis, Tetranychus pacificus, mcdanielli, Tetranychus schoenei and Tetranychus Tetranychus viennensis, the plants comprising (iii) consignment concerned were rooted, grown and packed in or on a sterilised medium. The applicable certificate shall contain Eryngium..... an additional declaration that-(i) the consignment is free from Rosselinia bunodes as appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned, the consignment concerned is (ii) Aceria tulipae, free from besseyi, **Aphelenchoides** Aphelenchoides fragariae, ritzema-bosi, Aphelenchoides Ditylenchus Ditylenchus destructor, dipsaci, Eotetranychus pruni (E. pomi), sexmaculatus, Eotetranychus Frankliniella occidentalis, Liriomyza

Phymatotrichum

Tetranychus candensis, Tetranychus

Tetranychus

spp.,

Synchytrium

mcdanielli,

omnivorum,

pacificus,

endobioticum,

Tetranychus schoenei and Tetranychus viennensis, the plants comprising consignment concerned were rooted, grown and packed in or on a sterilised medium The applicable certificate shall contain Euonymus..... an additional declaration that-(i) the consignment is free from variegation virus and Euonymus Oidium euonymi-japonici as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned, the consignment concerned is free from Aphelenchoides besseyi, fragariae, Aphelenchoides Aphelenchoides ritzema-bosi, Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi), sexmaculatus, Eotetranychus Frankliniella occidentalis, Liriomyza Phymatotrichum omnivorum, endobioticum, Synchytrium Tetranychus candensis, Tetranychus pacificus, mcdanielli, Tetranychus schoenei and Tetranychus Tetranychus viennensis, (iii) the plants comprising the

	consignment concerned were rooted,
	grown and packed in or on a sterilised
	medium.
·	
Fuchsia	The applicable certificate shall contain
	an additional declaration that-
	(i) the consignment is free from
	Alfalfa dwarf mosaic virus and
	Verticillium albo-atrum as it appears
	from inspections during the active
	growth of the mother plants concerned,
	did not occur on those mother plants;
	or in the area of production concerned,
	(ii) the consignment concerned is
	free from Aphelenchoides besseyi,
	Aphelenchoides fragariae,
	Aphelenchoides ritzema-bosi,
	Ditylenchus destructor, Ditylenchus
	dipsaci, Eotetranychus pruni (E. pomi),
	Eotetranychus sexmaculatus,
	Frankliniella occidentalis, Liriomyza
	spp., Phymatotrichum omnivorum,
	Synchytrium endobioticum,
	Tetranychus candensis, Tetranychus
	mcdanielli, Tetranychus pacificus,
	Tetranychus schoenei and
	Tetranychus viennensis,
	(iii) the plants comprising the
	consignment concerned were rooted,
	grown and packed in or on a sterilised
	medium.

Gerbera	The applicable certificate shall contain
	an additional declaration that-
	(i) the consignment is free from
	Phytophthora cryptogea and
	Verticillium albo-atrum as it appears
	from inspections during the active
	growth of the mother plants concerned,
	did not occur on those mother plants;
	or in the area of production concerned,
	(ii) the consignment concerned is
	free from Aphelenchoides besseyi,
	Aphelenchoides fragariae,
	Aphelenchoides ritzema-bosi,
	Ditylenchus destructor, Ditylenchus
	dipsaci, Eotetranychus pruni (E. pomi),
	Eotetranychus sexmaculatus,
	Frankliniella occidentalis, Liriomyza
	spp., Phymatotrichum omnivorum,
	Synchytrium endobioticum,
	Tetranychus candensis, Tetranychus
	mcdanielli, Tetranychus pacificus,
	Tetranychus schoenei and
	Tetranychus viennensis,
	(iii) the plants comprising the
	consignment concerned were rooted,
	grown and packed in or on a sterilised
	medium.
	The applicable certificate shall contain
Macropidia	an additional declaration that-
	(i) the consignment is free from

Magnolia.....

Sclerotinia bulborum and Sclerotinia tuliparum as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned,

the consignment concerned is (ii) Aceria tulipae, free from besseyi, **Aphelenchoides Aphelenchoides** fragariae, ritzema-bosi, **Aphelenchoides** Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi), **Eotetranychus** sexmaculatus, Liriomyza Frankliniella occidentalis, omnivorum, spp., Phymatotrichum endobioticum, Synchytrium Tetranychus candensis, Tetranychus mcdanielli, Tetranychus pacificus, schoenei and Tetranychus Tetranychus viennensis,

(iii) the plants comprising the consignment concerned were rooted, grown and packed in or on a sterilised medium.

The applicable certificate shall contain an additional declaration that-

(i) the consignment is free from Nectria galligena and Verticillium alboatrum as it appears from inspections

during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned

the consignment concerned is (ii) free from Aphelencholdes besseyi, fragariae, **Aphelenchoides** ritzema-bosi, Aphelenchoides Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi), sexmaculatus, Eotetranychus Liriomyza Frankliniella occidentalis, spp., Phymatotrichum omnivorum, endobioticum, Synchytrium Tetranychus candensis, Tetranychus pacificus, mcdanielli, Tetranychus schoenei and Tetranychus Tetranychus viennensis,

(iii) the plants comprising the consignment concerned were rooted, grown and packed in or on a sterilised medium.

Marantaceae.....

The applicable certificate shall contain an additional declaration that-

(i) the consignment is free from Abaca mosaic virus and Rosselinia bunodes as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of

production concerned the consignment concerned is (ii) Aceria tulipae, from free besseyi, **Aphelenchoides** fragariae, **Aphelenchoides** ritzema-bosi, **Aphelenchoides** Ditylenchus Ditylenchus destructor, dipsaci, Eotetranychus pruni (E. pomi), Eotetranychus sexmaculatus, Frankliniella occidentalis, Liriomyza Phymatotrichum omnivorum, spp., endobloticum, Synchytrium Tetranychus candensis, Tetranychus mcdanielli, Tetranychus pacificus, Tetranychus schoenei and Tetranychus viennensis, plants comprising (iii) the consignment concerned were rooted, grown and packed in or on a sterilised medium. The applicable certificate shall contain Mimulus..... an additional declaration thatthe consignment is free from Peronospora jacksonii as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned the consignment concerned is (ii)

free from Aphelenchoides besseyi,

Aphelenchoides fragariae, ritzema-bosi, Aphelenchoides Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi), sexmaculatus, Eotetranychus Frankliniella occidentalis, Liriomyza spp., Phymatotrichum omnivorum, endobioticum. Synchytrium Tetranychus candensis, Tetranychus mcdanielli, Tetranychus pacificus, schoenei and Tetranychus Tetranychus viennensis,

(iii) the plants comprising the consignment concerned were rooted, grown and packed in or on a sterillsed medium.

Pandanus.....

- the consignment is free from Cadang-cadang viroid as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned.
- (ii) the consignment concerned is free from Aphelenchoides besseyi, Aphelenchoides fragariae, Aphelenchoides ritzema-bosi, Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni (E. pomi),

sexmaculatus, Eotetranychus Frankliniella occidentalis, Liriomyza spp., Phymatotrichum omnivorum, endobioticum, Synchytrium Tetranychus candensis, Tetranychus pacificus, mcdanielli, Tetranychus schoenei and Tetranychus Tetranychus viennensis, comprising the the plants (iii)

(iii) the plants comprising the consignment concerned were rooted, grown and packed in or on a sterilised medium.

Penstemon.....

- (i) the consignment is free from Aphelencholdes fragariae as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned,
- (ii) the consignment concerned is free from Aphelenchoides besseyi, Aphelenchoides fragariae, Aphelenchoides ritzema-bosi, Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus prini (E. pomi), Eotetranychus sexmaculatus, Frankliniella occidentalis, Liriomyza spp. Phymatotrichum omnivorum, Synchtrium endobioticum, Tetranychus

Tetranychus pacificus, Tetranychus schoenei and Tetranychus viennensis, (iii) the plants comprising the consignment concerned were rooted, grown, and packed in or on a sterilised medium.

canadensis, Tetranychus mcdaniellie,

Peperromia.....

The applicable certificate shall contain an additional declaration that-

- i) the consignment is free from Aphelenchoides fragariae and Perenosclerospora maydis as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or area of production concerned
- the consignment concerned is (ii) free from Aphelenchoides besseyi, **Aphelenchoides** fragariae, ritzema-bosi. **Aphelenchoides** Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus prini (E. pomi), sexmaculatus, Eotetranychus Franklinlella occidentalis, Liriomyza omnivorum, spp. Phymatotrichum Synchtrium endobioticum, Tetranychus canadensis, Tetranychus mcdaniellie, Tetranychus pacificus, Tetranychus schoenei and Tetranychus viennensis,

the

	iii) the plants comprising the
	consignment concerned were rooted,
	grown and packed in or on a sterilised
	medium.
	The state and the state of the
Philodendron	The applicable certificate shall contain
	an additional declaration that-
	i) the consignment is free from
	Erwinia chrysanthemi as it appears
	from inspections during the active
	growth of the mother plants concerned,
	did not occur on those mother plants;
	or in the area of production concerned,
	(ii) the consignment concerned is
	free from Aphelenchoides besseyi,
	Aphelenchoides fragariae,
	Aphelenchoides ritzema-bosi,
	Ditylenchus destructor, Ditylenchus
	dipsaci, Eotetranychus prini (E. pomi),
	Eotetranychus sexmaculatus,
	Frankliniella occidentalis, Liriomyza
	spp. Phymatotrichum omnivorum,
	Synchtrium endobioticum, Tetranychus
	canadensis,Tetranychus mcdaniellie,
	Tetranychus pacificus, Tetranychus
	schoenei and Tetranychus viennensis,
	(iii) the plants comprising the
	consignment concerned were rooted,
	grown and packed in or on a sterilised
	medium.

The applicable certificate shall contain Phormium..... an additional declaration thatthe consignment is free from Phormium yellowing mycoplasma, Uredo phormii and Xanthomones campestris pv phormicola as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned, the consignment concerned is free from Aphelenchoides besseyl, fragariae, Aphelenchoides Aphelenchoides ritzema-bosi, Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus prini (E. pomi), sexmaculatus, **Eotetranychus** Frankliniella occidentalis, Liriomyza omnivorum, Phymatotrichum Synchtrium endobioticum, Tetranychus canadensis, Tetranychus mcdaniellie, Tetranychus pacificus, Tetranychus schoenei and Tetranychus viennensis), the plants comprising consignment concerned were rooted, grown and packed in or on a sterilised medium. The applicable certificate shall contain Rhododendron..... an additional declaration thatthe consignment is free from i)

Chrysomyxa rhododendri, Ovulina azaleae and Septoria azaleae as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned

the consignment concerned is free from Aphelenchoides besseyi, fragariae, Aphelenchoides ritzema-bosi, Aphelenchoides Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus prini (E. pomi), sexmaculatus, Eotetranychus Frankliniella occidentalis, Liriomyza spp. Phymatotrichum omnivorum, Synchtrium endobioticum, Tetranychus canadensis, Tetranychus mcdaniellie, Tetranychus pacificus, Tetranychus schoenei and Tetranychus viennensis, the plants comprising the consignment concerned were rooted, grown and packed in or on a sterilised medium.

Saliv

The applicable certificate shall contain an additional declaration that-

(i) the consignment is free from Physalospora miyabeana, Polaccia saliciperda, Pseudomonas saliciperda and Virus clorosis as it appears from

inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned,

the consignment concerned is free from Aphelenchoides besseyi, fragariae, Aphelenchoides ritzema-bosi, Aphelenchoides Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus prini (E. pomi), Eotetranychus sexmaculatus. Frankliniella occidentalis, Liriomyza Phymatotrichum omnivorum, spp. Synchtrium endobioticum, Tetranychus canadensis, Tetranychus mcdaniellie, Tetranychus pacificus, Tetranychus schoenei and Tetranychus viennensis, (ii) the plants comprising consignment concerned were rooted, grown and packed in or on a sterilised medium.

Sambucus.....

The applicable certificate shall contain an additional declaration that-

i) the consignment is free from Alfalfa dwardf mosaic virus, Arabis mosaic virus, Cherry leafroll virus and Tabacco ringspot virus as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants or

the consignment concerned is free from Aphelenchoides besseyi, fragariae, Aphelenchoides ritzema-bosi, Aphelencholdes Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus prini (E. pomi), Eotetranychus sexmaculatus, Frankliniella occidentalis, Liriomyza Phymatotrichum omnivorum, Synchtrium endobioticum, Tetranychus canadensis. Tetranychus mcdaniellie, Tetranychus pacificus, Tetranychus schoenei and Tetranychus viennensis, the plants comprising the consignment concerned were rooted, grown and packed grown in or on a

in the area of production concerned,

Stephanotis.....

The applicable certificate shall contain an additional declaration that-

sterilised medium.

- i) the consignment is free from Chrysanthemum stunt viroid as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned,
- (ii) the consignment concerned is free from Aphelenchoides besseyi, Aphelenchoides fragariae,

No. 53424 87

ritzema-bosi,

Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus prini (E. pomi), sexmaculatus, Eotetranychus Frankliniella occidentalis, Liriomyza Phymatotrichum omnivorum, Synchtrium endobioticum, Tetranychus canadensis, Tetranychus mcdaniellie, Tetranychus pacificus, Tetranychus schoenei and Tetranychus viennensis, plants comprising the consignment concerned were rooted, grown and packed in or on a sterilised medium.

Aphelenchoides

Sterilitzia.....

The applicable certificate shall contain an additional declaration that-

- (i) the consignment is free from Abaca mosaic virus, *Erwinia caratovora f sp. musae* and *Fusarium oxysporum f. cubense* as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned
- (ii) the consignment concerned is free from *Mycosphaerella fijiensis*, *Pseudomonas solanacearum* and *Xanthomonas compestris pv celebensis*, do not occur in the area of production concerned,

the consignment concerned is (iii) free from Aceria tulipae, besseyi, **Aphelenchoides** fragariae, **Aphelenchoides** ritzema-bosi, **Aphelenchoides** Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus prini (E. pomi), Eotetranychus sexmaculatus, Frankliniella occidentalis, Liriomyza omnivorum, Phymatotrichum spp. Synchtrium endobioticum, Tetranychus canadensis, Tetranychus mcdaniellie, Tetranychus pacificus, Tetranychus schoenei and Tetranychus viennensis, comprising the plants (iv) consignment concerned were rooted, grown and packed in or on a sterilised medium.

Yucca

The applicable certificate shall contain an additional declaration that-

- i) the consignment is free from Leptosphaeria obtusispora as it appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or in the area of production concerned
- (ii) the consignment concerned is free from Aphelenchoides besseyi,Aphelenchoides fragariae,

ritzema-bosi,

Aphelenchoides Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus prini (E. pomi), sexmaculatus, Eotetranychus Frankliniella occidentalis, Liriomyza Phymatotrichum omnivorum, Synchtrium endobioticum, Tetranychus canadensis, Tetranychus mcdaniellie, Tetranychus pacificus, Tetranychus schoenei and Tetranychus viennensis, plants comprising the consignment concerned were rooted, grown and packed in or on a sterilised medium.

5. Tissue culture in vitro of species of the following genera and families:

Beaucamea, Bromeliaceae, Amaryllidaceae, Ardisia, Cupressus, Phyloglossum, Polypodiaceae and Psilotum...

The applicable certificate shall contain an additional declaration that the tissue culture or tissue culture transplants comprising the consignment concerned was obtained from mother plants that are practically free from viruses and other diseases.

Euphorbia.....

The applicable certificate shall containan additional declaration that (i) the tissue culture or tissue culture transplants comprising consignment concerned was obtained

from mother plants that are practically free from viruses and other diseases.

(ii) a confirmation that the mother plants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from Euphorbia mosaic virus and Poiunsettia mosaic virus.

Marantaceae

The applicable certificate shall contain(i) an additional declaration that the tissue culture or tissue culture transplants comprising the consignment concerned was obtained from mother plants that are practically free from viruses and other diseases,

(ii) a confirmation that the mother plants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from viruses and virus- like organisms such as Abaca mosaic virus and Rosselinia bunodes.

6. All kinds of timber and unmanufactured timber products: see also class 11

7. Timber and unmanufactured timber products of speci-	Must be free from bark.
of the following genera and families:	
Abies and Pinus	
	The applicable certificate shall contain an additional declaration that-
	(i) Bursaphelenchus xylophilus and
	Sirex noctilio) do not occur in the area
	of production concerned.
	(ii) the consignment concerned is
	free from Gremmeniela abeitina and
	Lymantria disparina or
	(iii) alo amboi ormprionig
(F)	consignment concerned has been kiln- dried to a moisture content of 20 per
Additional	
Acacia, Artocarpus, Brachystegia, Carya, Juglans, Millett	
Podocarpus, Pterocarpus and Rutaceae	
Acer	No phytosanitary certificate required
	The applicable certificate shall contain an additional declaration that-
	(i) Ceratocystis coerulescens do not occur in the area of production
	concerned or
	(ii) the timber comprising the
	consignment concerned has been kiln-
Agathis, Buxaceae, Cupressus a	dried to a moisture content of 20 per

Cuphea	cent or less.
Castanea	The applicable certificate shall contain an additional declaration that the timber comprising the consignment concerned has been kiln-dried to a moisture content of 20 per cent or less.
	The applicable certificate shall contain an additional declaration that- (i) Ceratocystis fagacearum do not occur in the area of production concerned or (ii) the timber comprising the consignment concerned has been kilndried to a moisture content of 20 per cent or less.
8. Bark of:	
a) Acacia meamsii (only from Swaziland)	No phytosanitary certificate required
9. Cork: Unmanufactured	The applicable certificate shall contain a confirmation that the consignment concerned was treated by means of an appropriate fumigation with methyl bromide gas.
Manufactured	No phytosanitary certificate required

10. Vegetables fibre of species of the following genera and families:

Gossypium (with more than 1 seed per 2 kg sample) and Sorghum.....

The applicable certificate shall contain a confirmation that the consignment concerned was treated by means of an appropriate fumigation with methyl bromide gas.

11. Vegetable gums and resins of the following species and genera:

Abies balsamea, Acacia, Agathis, Amyris plumeria, Anacardium occidentale, Anogeissus latifolia, Astragalus, Balanocarpus heimii, Boswellia, Bursera, Ceratonia silique, Cochlus gossypium, Commiphora, Copemica cerifera, Cistus, Dacryoidoides hexandra, Dorema amoniacum, Ferula, Guaiacum. Euphorbia resinifera, Dracaena. lacca, Laccifer Hymenaea courbaril, Guibourtia, Liquidambar styraciflua, Melanorrhoea usitata, Myroxylon, Pinus, Piptadenia, Pistacia lentiscus, Protium, Rhus verniciflua, Sacapetalum tomentosum, Sterculia, Styrax, Terminalia, Tetraclinus articulata and Xanthorrhoea.

12. Rattan and bamboo obtained from the species of the following genera:

Arundinaria, Bambusa, Calamus, Daemonorops, Dendrocalamus, Korthalsia, Phyllostachys, Plectocomia,

No phytosanitary certificate required

No phytosanitary certificate required

and Thyrsostachys.

13. Herbs, spices and other parts of plants intended for medicinal, human or animal consumption and obtained from plants of the following species, genera and families:

Acanthus mollis, Achillea, Aconitum, Actaea spicata, Agar-Agar (unrefined), Agastache foeniculum, eupatoria, Ajuga, Alcea rosea, Alchemilla vulgaris, Allium (only dried, flaked and powdered), Aloe, Althea, Anagallis arvensis, Anchusa, Androstephium violaceum, Angelica, Anthemis tinctoria, Antennaria dioica, Anthriscus, Anthyllis, Aquilegia vulgaris, Arabis, Aralia, Arctotis acaulis, Armeria, Arnica Montana, Asarum canadense, Asclepias tuberosa, Asperula, Atropa, Baptisia, Barbarea verna, Bellis perennis, Borago officinalis, Bryonia dioica, Calendula, Campanula, Capparis spinosa, Carthamus tinctorius, Carum carvi, Castanea, Catharanthus roseus, Ceanothus americanus, Centaurea cyanus, Centaurium triphylla, Cedronella Chelidonium. cheiri, Cheiranthus erythraea, Cimicifuga racemosa, Cinnamomum, Chrysanthemum, Cnicus benidictus, Coffea (only roasted bean), Collinsonia canadensis, Colutea, Conium maculatum, Convallaria, Coreopsis tinctoria, Coriandrum sativum, Cornus florida, Corylus (only the nuts thereof), Crithmum maritimum, Crocus sativus, Croton, Cryptotaenia japonica, Cuminum Cynara, Danae racemosa, Cupressus, cyminum, Delphinium grandiflorum, Dianthus, Dictamnus albus, Digitalis, Dolichos, Dracocephalum moldavica, Elettaria Eugenia Erica, Erigeron, cardamomum, Epilobium,

No phytosanitary certificate required

caryophyllata, Euphorbia, Fagopyrum, Filipendula, Galega officianalis, Galium, Genista tinctoria, Gentiana, Geranium, Gnaphalium, Gratiola officinalis, Grindelia robusta, Guizotia Helianthemum, virginiana, Hamamelis abyssinica, Heliotropium, Helleborus niger, Herniaria, Heuchera, Hibiscus sabdariffa, Hieracium, Humulus, Hydrocotyle Hyodcyamus niger, Hypericum, Hyssopus asiatica, officinalis, liex paraguariensis, Illicium verum, Indigofera, Inula helenium, Isatis tinctoria, Jasminum, Juniperus communis, Lamium, Laurus, Lavandula, Lawsonia inermis, Leontopodium alpinum, Leonurus, Lepidium sativum, Levisticum officinale, Liatris, Ligustrum, Linaria, Linum usitatissimum, Lobelia, Lotus, Lophocarpus, Lychnis chalcedonica, Lycopus europaeus, Lysimachia nummularia, Lythrum salicaria, Maclura pomifera, Mangifera (only the seed thereof), Malva, Marrubium vulgare, Matricaria officinalis, Melissa chamomilla, Melilotus officinalis, Metroxylon rumphii, Mirabilis, Moluccella laevis, Monarda didyma, Morus nigra (dried), Myrica pensylvanica, Myristica fragrans, Myrrhis odorata, Myrtus communis, Nasturtium Nigella damascene, Nepenthes, Nepeta, officinale, Ocimum, Ononis, Origunum, Paris quadrifolia, Perilla frutescens, Petroselinum crispum, Peucedanum, Piper, Ricinus, Saxifraga, Sedum, Sempervivum, Sesamum, virgaurea, Smilax, Solidago marianum, Silybum Symphytum, Tagetes, Taraxacum officinale, Teucrium, Tetragonia tetragonioides, Theobroma, Thymus, Tilia Tropaeolum, foenum-graecum, Trigonella cordata. Tussilago farfara, Urginea maritima, Urtica, Valeriana, Veronica. Verbascum, Verbena, Valerianella locusta,

Vibumum opulus, Vinca and Viola. The applicable certificate shall contain Anemone, Apium graveolens, Astragalus, Cichorium an additional declaration that the intybus, Colchicum autumnale, Curcuma longa, Glycyrrhiza consignment concerned is free of glabra, iberis umbellate, Iris, Muranta arundinacea and growth media and soil. Panax..... The importer of a consignment Cajanus, Ceratonia siliqua, Canavalia, Brassica, concerned shall submit a declaration Cyamopsis, Lupinus, Pisum (only the seed thereof) and on a form obtainable from the Yucca glauca..... executive officer for this purpose, in which he/she declares that such consignment is intended for immediate re-export or for purposes other than the cultivation thereof in the Republic. The applicable certificate shall contain Gossypium (only the seed thereof)..... a confirmation that the consignment concerned was treated with a broad spectrum insecticide or fumigant. The importer of a consignment concerned shall submit a declaration on a form obtainable from the executive officer for this purpose, in declares that such which he consignment is intended for immediate re-export or for purposes other than the cultivation thereof in the Republic.

The applicable certificate shall contain

Papaver somniferum:	a confirmation that the consignment
	concerned was treated by means of an
	appropriate fumigation with methyl
	bromide gas,
	The importer of a consignment of class
	of regulated article concerned shall
	submit a declaration on a form
•	obtainable from the executive officer
	for this purpose, in which he declares
	that such consignment is intended for
	immediate re-export or for purposes
	other than the cultivation thereof in the
	Republic.
14.Vermi compost	The applicable certificate shall contain
	an additional declaration that the
	consignment concerned is free of
	Lumbricus rubellus.

TABLE 2
Points of entry

1. The harbours of -	Cape Town, Durban, East London, Port
	Elizabeth, Ngqura, and Richards Bay.
The International airports-	Cape Town International Airport, King Shaka International Airport, Kruger
	Mpumalanga International Airport,

	Lanseria International Airport, O.R. Tambo (Johannesburg) International Airport and Chief Dawid Stuurman (George) International Airport
2. The border control points at-	Beitbridge, Caledonspoort, Ficksburg Bridge, Golela, Grobler's Bridge, Jeppes Reef, Kopfontein, Kosi Bay, Lebombo, Mahamba, Mananga, Maseru Bridge, Nakop, Nerston, Oshoek, Qacha's Nek, Ramatlabama, Skilpadshek, Van Rooyen's Hek and Vioolsdrift.

No. 53424 99

Annexure A

Regulated pests: Insects and pathogens

- 1. Abaca mosaic virus
- 2. Abutilon mosaic virus
- 3. Acalitus essigi
- 4. Acalitus orthomera
- 5. Acarapis woodi
- 6. Aceria biopsida
- 7. Aceria breakeyi
- 8. Aceria peucedamum
- 9. Aceria tulipae
- 10. Actinomyces ipomoeae
- 11. Aecidium fragiforme
- 12. Alfalfa dwarf mosaic virus
- 13. Alternaria cichorii
- 14. Alternaria padwickii
- 15. Anarsia lineatella
- 16. Anastrepha fraterculus
- 17. Anastrepha ludens
- 18. Anastrepha mombinpraeoptans
- 19. Anguina spp.
- 20. Anguina tritici
- 21. Annual ryegrass toxicity syndrome
- 22. Aphelenchoides besseyi
- 23. Aphelenchoides fragariae
- 24. Aphelenchoides ritzema-bosi
- 25. Arabis mosaic virus
- 26. Artichoke curly dwarf virus
- 27. Artichoke mosaic virus

- 28. Artichoke mottle crinkle virus
- 29. Ascochyta abelmoschi
- 30. Ascochyta gossypii
- 31. Ascochyta pisi
- 32. Ascochyta rabiei
- 33. Ascochyta spp.
- 34. Ascosphaera apis
- 35. Asparagus virus
- 36. Aspergillus niger f. floridanus
- 37. Aspidiella hartii
- 38. Aster yellows mycoplasma
- 39. Bacillus larvae
- 40. Bacterial pathogens
- 41. Balansia oryzae
- 42. Banana bunchy top virus
- 43. Bean Yellow Mosaic virus
- 44. Beet curly top virus
- 45. Black pepper stunt virus
- 46. Blueberry stunt virus
- 47. Botrytis tulipae
- 48. Broadbean stain virus
- 49. Bursaphelenchus xylophilus
- 50. Cacoecimorpha pronubana
- 51. Cadang-cadang viroid
- 52. Caeoma sanctae-crucis
- 53. Caeoma torreya
- 54. Calacarus carinatus
- 55. Campanotus herculeanus
- 56. Carnation etched ring virus
- 57. Carnation necrotic fleck virus
- 58. Carnation streak virus

- 59. Cecidophyopsis ribis
- 60. Celery mosaic virus
- 61. Cephaleuros parasiticus
- 62. Cephalosporium diospyri
- 63. Cephalosporium maydis
- 64. Cephalosporium sacchari
- 65. Ceratocystis coerulescens
- 66. Ceratocystis fagacearum
- 67. Ceratocystis fimbriata
- 68. Ceratocystis fimbriata var. platani
- 69. Ceratocystis spp.
- 70. Ceratocystis ulmi
- 71. Ceratostomella fimbriata
- 72. Cercospora angolensis (Redescribed as Phaeoranularia angolensis)
- 73. Cercospora coffeicola
- 74. Cercospora corchori
- 75. Cercospora ixorae
- 76. Cercospora mangifera
- 77. Cercospora pini-densiflorae
- 78. Cercospora purpurea
- 79. Cercospora sequioae
- 80. Cercospora sojina
- 81. Cercospora spp.
- 82. Cercospora transversiana
- 83. Ceutospora litchii
- 84. Chaetocnema pulicaria
- 85. Cherry leafroll virus
- 86. Cherry rasp leaf virus
- 87. Chrysanthemum stunt viroid
- 88. Chrysomyxa rhododendri
- 89. Ciboria betulae

- 90. Citrus stubborn mycoplasma
- 91. Claviceps purpurea
- 92. Claviceps spp.
- 93. Clitocybe tabescens
- 94. Clostero viruses
- 95. Clover phyllody mycoplasma
- 96. Cochliobolus miyabeanus (Syn Helminthosporium oryzae)
- 97. Colletotrichum cajani
- 98. Colletotrichum capsici
- 99. Colletotrichum coffeanum (CBD Strain)
- 100. Colletotrichum dematium f. sp. truncatum
- 101. Colletotrichum fuscum
- 102. Colletotrichum lini
- 103. Colletotrichum panacicola
- 104. Colletotrichum villosum
- 105. Coniella diplodiella
- 106. Corynebacterium flaccumfaciens pv. betae
- 107. Corynebacterium flaccumfaciens pv. flaccumfaciens
- 108. Corynebacterium michiganense pv. michiganense
- 109. Corynebacterium michiganense pv. sepedonicum
- 110. Corynespora casiicola
- 111. Cotton leaf curl virus
- 112. Cranbery false blossom mycoplasma
- 113. Crinipellis palmivora
- 114. Crinipellis perniciosa
- 115. Cronartium coleosporioldes
- 116. Cronartium comptoriae
- 117. Cronartium fusiforme
- 118. Cronartium quercuum
- 119. Cronartium strobultinum
- 120. Cryptospora longispora

- 121. Cryptostictis cupressi
- 122. Cucumber leaf roll virus
- 123. Cucumber mosaic virus
- 124. Cydia molesta
- 125. Dacus cucurbitae
- 126. Dacus dorsalis
- 127. Dacus tryoni
- 128. Dacus zonatus
- 129. Diaporthe phaseolorum var. batatatis
- 130. Diaporthe phaseolorum var. caulivora
- 131. Didymella chrysanthemi
- 132. Ditylenchus destructor
- 133. Ditylenchus dipsaci
- 134. Ditylenchus spp.
- 135. Dothistroma pini
- 136. Dotichiza populea
- 137. Drechslera iridis
- 138. Drechslera maydis
- 139. Dysmicoccus brevipes
- 140. Echinodentium taxodii
- 141. Elm mosaic virus
- 142. Endothia gyrosa
- 143. Endothia parasitica
- 144. Ennomos subsignarius
- 145. Eotetranychus pruni (E. pomi)
- 146. Eotetranychus sexmaculatus
- 147. Ephelis pallida
- 148. Eriophyes gastrotrichus
- 149. Erwinia amylovora
- 150. Erwinia carotovora f sp. musae
- 151. Erwinia carotovora pv. atroseptica

- 152. Erwinia chrysanthemi
- 153. Erwinia chrysanthemi f sp. dianthi
- 154. Erwinia nigrifluens
- 155. Erwinia rhapontici
- 156. Erwinia rubrifaciens
- 157. Erwinia stewartii
- 158. Euonymus variegation virus
- 159. Euphorbia mosaic virus
- 160. Exobasidium camelliae
- 161. Exobasidium vexans
- 162. Frankliniella occidentalis
- 163. Fungal pathogens
- 164. Fusarium oxysporum f. cubense
- 165. Fusarium oxysporum f. sp. lycopersici Race
- 166. Fusarium oxysporum f. sp. psidii
- 167. Fusarium oxysporum f. zingiberi
- 168. Ganoderma lucidum
- 169. Globodera spp
- 170. Gloeotinia temulenta
- 171. Glomerella cingulata
- 172. Gnomonia platani (Syn G.veneta)
- 173. Godrona cassandrae
- 174. Goplana dioscorea
- 175. Gremmeniela abeitina
- 176. Guar top necrosis virus
- 177. Guignardia aesculi
- 178. Guignardia bidwelii
- 179. Gymnosporangium spp
- 180. Hendersonia agathi
- 181. Heterodera glycines
- 182. Heterodera humuli

- 183. Heterodera spp
- 184. Hop mosaic virus
- 185. Hop nettle virus complex
- 186. Hydrangea ringspot virus
- 187. Hymenochaeta mongeotii
- 188. Hymenoptera spp
- 189. Ilar group viruses
- 190. Kabathina thujae
- 191. Kabatiella nigricans
- 192. Kabatiella zeae
- 193. Keithia thujina
- 194. Koleroga noxia
- 195. Leaf scorch
- 196. Leptinotarsa decemlineata
- 197. Leptosphaeria maculans (Syn Phoma lingam)
- 198. Leptosphaeria obtusispora
- 199. Lethal yellowing mycoplasma
- 200. Lettuce mosaic virus
- 201. Lily mosaic virus
- 202. Lily rosette virus
- 203. Liriomyza spp
- 204. Lophodermium cedri
- 205. Lophodermium spp
- 206. Lumbricus rubellus
- 207. Lymantria disparina
- 208. Magnaporthe salvinii
- 209. Malpigamoeba mellificae
- 210. Mampava rhodoneura
- 211. Marssonina brannea
- 212. Melampsora hypericorum
- 213. Melampsora pinitorqua

- 214. Meloidogyne spp
- 215. Microcyclus ulei
- 216. Microsphaeria alni
- 217. Mollusca
- 218. Monilia roreri
- 219. Monilochaetes infuscans
- 220. Mosaic
- 221. Mosaic virus infection
- 222. Mycosphaerella citri
- 223. Mycosphaerella fijiensis
- 224. Mycosphaerella linorum
- 225. Myrobolan latent ringspot virus
- 226. Narcissus yellow stripe virus
- 227. Necrotic ringspot virus serotypes
- 228. Nectria cinnabarina
- 229. Nectria galligena
- 230. Nematodes (plant parasitic)
- 231. Neovossia indica
- 232. Oidium euonymi-japonici
- 233. Opogona sacchari
- 234. Ovulina azaleae
- 235. Paramyelois transitella
- 236. Pardalaspis cyanescens
- 237. Pea seedborne mosaic virus
- 238. Peanut marginal chlorosis virus
- 239. Peanut mottle virus (syn. Groundnut mottle virus)
- 240. Peanut stunt virus
- 241. Pelargonium leaf curl virus
- 242. Peperomia ringspot virus
- 243. Perenosclerospora maydis
- 244. Perenoscierospora phillipinensis

- 245. Perenoscierospora sacchari
- 246. Perenoscierospora spontanea
- 247. Peridermium cedri
- 248. Peronospora arborescens
- 249. Peronospora documeti
- 250. Perenospora farinosa
- 251. Peronospora hyoschyami
- 252. Peronospora jacksonii
- 253. Peronospora mesembryanthemi
- 254. Peronospora schachtii
- 255. Peronospora tabacina
- 256. Phakopsora cheoana
- 257. Phakopsora jatrophicola
- 258. Phakopsora pachyrhizi
- 259. Phakopsora zizyphi-vulgaris
- 260. Phoma cisti
- 261. Phoma sabdariffae
- 262. Phoma spp
- 263. Phoma strasseri
- 264. Phomopsis annonacearum
- 265. Phomopsis heveae
- 266. Phomopsis theae
- 267. Phomopsis vexans
- 268. Phormium yellowing mycoplasma
- 269. Phyllosticta dracaenae
- 270. Phymatotrichum omnivorum
- 271. Physalospora miyabeana
- 272. Physopella ampelopsidis
- 273. Phytophagous mites
- 274. Phytophthora capsici
- 275. Phytophthora cryptogea

108

- 276. Phytophthora fragariae
- 277. Phytophthora infestans
- 278. Phytophthora palmivora
- 279. Phytophthora spp
- 280. Plant parasitic nematodes
- 281. Plasmodiophora brassicae
- 282. Plasmopara chrysanthemi-coronarii
- 283. Plasmopara halstedii
- 284. Pleospora papaveracea
- 285. Ploioderma lethale
- 286. Plum Pox virus (Sharka)
- 287. Poinsettia mosaic virus
- 288. Polaccia saliciperda
- 289. Polyporus gilvus
- 290. Polyporus sanguineus
- 291. Polyscytalum pustulans
- 292. Potato spindle tuber viroid
- 293. Pratylenchus brachyurus
- 294. Pratylenchus scribneri
- 295. Prostephanus truncatus
- 296. Pseudococcus citri
- 297. Pseudomonas aleuritides
- 298. Pseudomonas andropogonis
- 299. Pseudomonas aptata
- 300. Pseudomonas caryophylli
- 301. Pseudomonas maublanci
- 302. Pseudomonas phaseolicola
- 303. Pseudomonas saliciperda
- 304. Pseudomonas solanacearum
- 305. Pseudomonas solanacearum biotypes
- 306. Pseudomonas syringae pv mellea

- 307. Pseudomonas syringae pv pisi
- 308. Pseudomonas syringae pv populae
- 309. Pseudomonas syringae pv savastanoi
- 310. Pseudomonas viridiflava
- 311. Pseudoperonospora humuli
- 312. Psylla pyricola
- 313. Puccinia cari-bistortea
- 314. Puccinia graminis
- 315. Puccinia horiana
- 316. Puccinia psidli
- 317. Puccinia spp
- 318. Pucciniastrum actinidiae
- 319. Pyrenochaeta phiogina
- 320. Pythium myriotylum
- 321. Radopholus citrophilis
- 322. Radopholus similis
- 323. Ramularia bellulensis
- 324. Ramularia cyclaminicola
- 325. Rhadinaphelenchus cocophilus
- 326. Rhagoletis cerasi
- 327. Rhagoletis pomonella
- 328. Rhizoctonia solani
- 329. Rhyncophorus palmarum
- 330. Root wilt
- 331. Rose Rosette virus
- 332. Rose wilt virus
- 333. Rosselinia bunodes
- 334. Rotylenchus reniformis
- 335. Sanninoidea exitiosa
- 336. Sclerophthora rayssiae var zeae
- 337. Scierotinia bulborum

- 338. Scierotinia convulata
- 339. Sclerotinia narcissicola
- 340. Scierotinia polyblastis
- 341. Sclerotinia ricini
- 342. Sclerotinia trifolium
- 343. Sclerotium tuliparum
- 344. Seiridium cardinale
- 345. Septobasidium aleuritides
- 346. Septoria azaleae
- 347. Septorla gladioli
- 348. Septoria glycines
- 349. Shuck die-back disease
- 350. Sirex noctilio
- 351, Soil-borne viruses
- 352. Sorosporium syntherismae
- 353. Soyabean mild mosaic virus
- 354. Soyabean stunt virus
- 355. Sphaceloma manihoticola
- 356. Sphaceloma punicae
- 357. Sphaerotheca mors-uvae
- 358. Sphaerulina taxicola
- 359. Spongospora spp
- 360. Steneotarsonemus laticeps
- 361. Strawberry latent ringspot virus
- 362. Streptomyces scables
- 363. Sugarcane fiji virus
- 364. Sugarcane grassy shoot virus
- 365. Sugarcane sereh virus
- 366. Synchytrium endobioticum
- 367. Synchytrium piperi
- 368. Tetranychus Canadensis

- 369. Tetranychus mcdanielli
- 370. Tetranychus pacificus
- 371. Tetranychus schoenei
- 372. Tetranychus viennensis
- 373. Thyronectria denigrata
- 374. Tilletia barclayana
- 375. Tilletia contraversa
- 376. Tobacco leaf curl virus
- 377. Tobacco rattle virus
- 378. Tobacco ringspot virus
- 379. Tobacco streak virus
- 380. Tomato aspermy virus
- 381. Tomato black ring virus
- 382. Tomato ringspot virus
- 383. Trioza calacarus
- 384. Trogoderma granarium
- 385. Tropilaelops clareae
- 386. Tulip white streak virus
- 387. Uredinales
- 388. Uradinales (Pine rusts)
- 389. Uredo phormii
- 390. Urocystis agropyri
- 391. Urocystis cepulae (Syn U. colchici)
- 392. Uromyces cytisi
- 393. Uromyces genistae-tinctoriae
- 394. Uromyces spp
- 395. Ustilaginoidea virens
- 396. Ustilago colcis
- 397. Ustilago nuda
- 398. Ustilago utriculosa
- 399. Ustilago violacea

- 400. Varroa jacobsoni
- 401. Verticillium albo-atrum
- 402. Verticillium dahliae
- 403. Verticillium spp
- 404. Virus and virus-like diseases affecting honey bees
- 405. Virus and virus-like diseases
- 406. Virus chlorosis
- 407. Wilt diseases caused by fungi
- 408. Xanthomonas campestris pv begoniae
- 409. Xanthomonas campestris pv campestris
- 410. Xanthomonas campestris pv cassavae
- 411. Xanthomonas campestris pv cassiae
- 412. Xanthomonas campestris pv celebensis
- 413. Xanthomonas campestris pv citri
- 414. Xanthomonas campestris pv corylina
- 415. Xanthomonas campestris pv erythrinae
- 416. Xanthomonas campestris pv hyacinthi
- 417. Xanthomonas campestris pv khayae
- 418. Xanthomonas campestris pv manihotis
- 419. Xanthomonas campestris pv oryzae
- 420. Xanthomonas campestris pv oryzicola
- 421. Xanthomonas campestris pv phormicola
- 422. Xanthomonas campestris pv vasculorum
- 423. Xanthomonas campestris pv versicatoria
- 424. Xanthomonas fragariae
- 425. Xanthomonas gorlencovianum
- 426. Xanthomonas spp
- 427. Xanthomonas panici
- 428. Yam mosaic virus